

C.L. "BUTCH" OTTER- Governor RICHARD M. ARMSTRONG - Director DEBBY RANSOM, R.N., R.H.I.T – Chief BUREAU OF FACILITY STANDARDS 3232 Elder Street P.O. Box 83720 Boise, Idaho 83720-0036 PHONE: (208) 334-6626 FAX: (208) 364-1888 E-mail: fsb@idhw.state.id.us

May 25, 2007

George Ciccone, Administrator Country Comfort Residential Care I 3129 E Spring View Drive Coeur D' Alene, ID 83814-5179

License #: RC-866

Dear Mr. Ciccone:

On February 13, 2007, a initial licensure survey was conducted at Country Comfort Residential Care I. As a result of that survey, deficient practices were found. The deficiencies were cited at the following level(s):

• Non-core issues, which are described on the Punch List, and for which you have submitted evidence of resolution.

This office is accepting your submitted evidence of resolution.

Should you have questions, please contact Donna Henscheid, LSW, Health Facility Surveyor, Residential Community Care Program, at (208) 334-6626.

Sincerely,

DONNA HENSCHEID, LSW

Team Leader

Health Facility Surveyor

Residential Community Care Program

onna Henscheich

DH/sc

c:

Jamie Simpson, MBA, QMRP Supervisor, Residential Community Care Program

C.L. "BUTCH" OTTER – Governor RICHARD M, ARMSTRONG – Director DEBBY RANSOM, R.N., R.H.I.T -- Chief BUREAU OF FACILITY STANDARDS 3232 Elder Street P.O. Box 83720 Boise, Idaho 83720-0036 PHONE: (208) 334-6626 FAX: (208) 364-1888 E-mail: fsb@idhw.state.id.us

February 23, 2007

George Ciccone, Administrator Country Comfort Residential Care I 3129 E Spring View Drive Coeur D' Alene, ID 83814-5179

Dear Mr. Ciccone:

On February 13, 2007, a Initial Licensure survey was conducted at Country Comfort Residential Care I. The facility was found to be providing a safe environment and safe, effective care to residents.

The enclosed form, stating no core issue deficiencies were cited during the survey, is for your records only and need not be returned.

Please bear in mind that non-core issue deficiencies were identified on the punch list, a copy of which was reviewed and left with you during the exit conference. The completed punch list form and accompanying proof of resolution (e.g., receipts, pictures, policy updates, etc.) are to be submitted to this office by March 15, 2007.

Should you have any questions about our visit, please contact me at (208) 334-6626.

Sincerely,

JAMIE SIMPSON, MBA, QMRP

Supervisor

Residential Care Assisted Living Program

JS/slc

Enclosure

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
13R866			B. WING		02/13/2007			
NAME OF PROVIDER OR SUPPLIER					STATE, ZIP CODE			
COUNTR	Y COMFORT RESIDE	ENTIAL CARE I	830 N 23RD STREET COEUR D'ALENE, ID 83814					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF C (EACH CORRECTIVE ACTIC CROSS-REFERENCED TO TH DEFICIENCY	ON SHOULD BE LE APPROPRIATE	(X5) COMPLETE DATE	
R 000	000 Initial Comments			R 000				
	found to be in subs Rules for Residenti Facilities in Idaho. were cited during the conducted at your f	veyor RN	ith the Living encies Y 'S					
Bureau of Fa	cility Standards	,		<u></u>	TITLE		(X6) DATE	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM 5699 5L9911 If continuation sheet 1 of 1



BUREAU OF FACILITY STANDARDS P.O. Box 83720 Boise, ID 83720-0036 (208) 334-6626 fax: (208) 364-1888

ASSISTED LIVING Non-Core Issues Punch List

Facility Name	Physical Address Phone Number		
Chlenta	Confort Residential 830 N. 23 5theat 667-15		
Administrator	City ZIP Code		
Beorgo !	SSS14		
Survey Team Lead	Survey Type Survey Date		
Donna	Herstheid Initial Survey 2/13/0	7	
NON-CORE			
ITEM RULI # 16.03		DATE BFS RESOLVED USE	
1 050.	I be facility did not request a Variance dor bulk	DH 5/10/	lor
	he de catalis		
<u>2</u> 305.	1) The facilities RN did not assess Resident #1	2H	
3 305.	12 The Jacility's RN did not become Current modicate	Tim O C 10 0 4	
	For the By bad rail for mobility: 12 The facility's KN d.d not become Current modicate Phillips Brown Were present in a Random	5//	ofor
	Residents hedical record, and Signed & dated		•
4	Du the physician.		
Z 3/0.0		Quel.	1
		DN 5/10/	167
218	Dulk hadications.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
5 310.0		90H	
	by the refriderator without being locked.		,
Le 310 C	ic the facility that leep a daily Olog to	DH 5/19/0	67
	propular bedication temperatures 0		
7 310.0	2 We faculty accumulated Resident # 2's bredicat	cons 90/	
	Hor Greaton than 30 days.		
Response Required	Date Signature of Facility Representative	Date Signed	
3/13/0	Glorge Ciceon ADM.	2//3/07	



BUREAU OF FACILITY STANDARDS P.O. Box 83720 Boise, ID 83720-0036 (208) 334-6626 fax: (208) 364-1888

ASSISTED LIVING Non-Core Issues Punch List

Facility N	Vame (Physical Address Phone Number	r	
تبالأن	2 with	and not Residential 830 N 23ª St 208 W	67-1511	
Administ	£-4.	City ZIP Code	•	
D-CC	y son	iccon a Louis D'Alena 1839	114	
Survey	Team(Leader	Survey Type Survey Date		
M	me H	enscheid Initia OSinven 2/13	167	
NON-	CORE ISSU	JES ()	•	
ITEM #	RULE# 16.03.22	DESCRIPTION	DATE RESOLVED	BFS USE
8	(030.0)	4 One of three Stad 1) did not noceine special	aid	DA \$14
		training Lox hentel illness.	4 54	
9	L30.03	One of the States did not receive seccial	a d d	84 9/10/0
•		tramise dor developmental Disabilities		
		7-0		

	***************************************	:		
Respons	se Required Date	Signature of Facility Representative	Date Signed	
_3/.	13/07	George Circone ADM.	2/13/6	